

# **DISPLAY LIGHT**



## MINI 3W

750.-

DIA 52 mm. H 25 mm.



**CREE CHIP LED 3W 260lm**



3000K, 4000K, 6000K

Matt white/ Matt black/ Silver



Adjustable  
Aluminium Body  
Driver included  
Non-Dim  
Dimmable (0-10V/ Triac) Optional

**IP 20**

## MINI-D 3W

1000.-

DIA 52 mm. H 35 mm.



**LED COB 3W 260lm**



3000K, 4000K

Sand white/ Sand black trim



Adjustable  
Aluminium Body  
Driver included  
Non-Dim  
Dimmable (0-10V/ Triac) Optional

**IP 20**



DISPLAY LIGHT



## RIZ 3W

750.-

DIA 40 mm. H 50 mm.



### CREE CHIP LED 3W 260lm



3000K, 4000K

Matt white, Matt black trim



Fixed

Aluminium Body

Driver included

Non-Dim

Dimmable (0-10V/ Triac) Optional

IP 20

## FOCUS 3W

850.-

DIA 48 mm. H 37 mm.



### CREE CHIP LED 3W 260lm



3000K, 6000K

Matt white, Matt black trim



Fully adjustable

Aluminium Body

Driver included

Non-Dim

Dimmable (0-10V/ Triac) Optional

IP 20



DISPLAY LIGHT



## SHOT

750.-

DIA 25 mm. H 52 mm.



**LED COB 3W 270lm**

3000K, 6000K

Matt black/ Matt silver

**IP 20**



Fully adjustable

Aluminium Body

Driver included

Non-Dim

Dimmable (0-10V/ Triac) Optional

## PAX

850.-

DIA 58 mm. H 14 mm.



**LED COB 3W 280lm**

3000K

Matt black/ Matt silver

**IP 44**



Fixed

Aluminium Body

Driver included

Non-Dim



DISPLAY LIGHT



## DOSS 1.5W

600.-

DIA 35 mm. H 22 mm.



### LED COB 1.5W 140lm



3000K, 4000K  
Matt white, Matt black trim



Fixed  
Aluminium Body  
Driver included  
Non-Dim

IP 20

Dimmable (0-10V/ Triac) Optional

## BAM 3W

600.-

DIA 42 mm. H 33 mm.



### LED COB 3W 260lm



3000K, 4000K  
Sand white/ Sand black trim



Fixed  
Aluminium Body  
Driver included  
Non-Dim  
Dimmable (0-10V/ Triac) Optional

IP 20



## JORO 3W

800.-

DIA 40 mm. H 57 mm.



### LED COB 3W 150lm



3000K, 4000K  
Sand white/ Sand black trim



Fixed  
Aluminium Body  
Driver included  
Non-Dim  
Dimmable (0-10V/ Triac) Optional

IP 20

DISPLAY LIGHT



## SLIM-A

750.-

DIA 70 mm. H 25 mm.



**LED SMD 3W 370lm**

3000K, 4000K  
Matt black/ Matt white

**IP 44**



Adjustable  
Aluminium Body  
Driver included  
Non-Dim  
Dimmable (0-10V/ Triac) Optional

## SLIM-B

700.-

DIA 65 mm. H 13mm.



**LED SMD 3W 370lm**

3000K, 4000K  
Matt black/ Matt white

**IP 44**



Fixed  
Aluminium Body  
Driver included  
Non-Dim  
Dimmable (0-10V/ Triac) Optional





## BEEM-S

800.-

DIA 42 mm. H 17.8 mm.



**LED COB 2W 145lm**

3000K, 4000K, 6000K  
Matt black/ Matt white

**IP 20**

- Zoomable 10D-60D  
Fully adjustable  
Aluminium Body  
Driver included  
Non-Dim  
Dimmable (0-10V/ Triac) Optional

## BEEM-M

1750.-

DIA 74 mm. H 40 mm.



**LED SMD 6W 515lm**

5-45° 3000K, 4000K, 6000K  
Matt black/ Matt white

**IP 20**

- Zoomable 5D-45D  
Fully adjustable  
Aluminium Body  
Driver included  
Non-Dim  
Dimmable (0-10V/ Triac) Optional



DISPLAY LIGHT



## JOOX-A 3W

750.-

DIA 50 mm. H 30 mm.



**CREE CHIP LED 3W 265lm**



3000K, 4000K  
Matt white trim

**IP 20**



Adjustable  
Aluminium Body  
Driver included  
Non-Dim  
Dimmable (0-10V/ Triac) Optional

## JOOX-B 3W

750.-

DIA 40 mm. H 28 mm.



**CREE CHIP LED 3W 265lm**



3000K, 4000K  
Matt white trim

**IP 20**



Fixed  
Aluminium Body  
Driver included  
Non-Dim  
Dimmable (0-10V/ Triac) Optional



DISPLAY LIGHT



## NAKO

1150.-

DIA 23x33 mm. H 310 mm.



**LED COB 3W 270lm**

3000K, 4000K, 6000K  
Matt black/ Matt silver

**IP 20**



- Fully adjustable
- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional

## HAPER

1350.-

DIA 80x25x10 mm. H 320 mm.



**LED COB 3x1W 270lm**

6000K  
Matt black/ Matt silver

**IP 20**



- Fully adjustable
- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional



DISPLAY LIGHT



## LEMO

1500.-

DIA 6 mm. H 250-350 mm.



**LED SMD 3W 250lm**



3000K, 6000K

Matt black/ Matt silver

**IP 20**



Fixed

Aluminium Body

Driver included

Non-Dim

## TRIPO

135 0.-

DIA 10 mm. H 255 mm.



**LED COB 3x1W 250lm**



3000K, 6000K

Matt black/ Matt silver

**IP 20**



Fully adjustable

Aluminium Body

Driver included

Non-Dim



DISPLAY LIGHT



## BELLA

1800.-

DIA 24 mm. H 198 mm.



**LED COB 3x1W 270lm**



6000K

Matt black/ Matt silver

**IP 20**

- Fully adjustable
- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional

## SOLO

1650.-

DIA 15x43 mm. H 300 mm.



**LED COB 3W 270lm**



6000K

Matt black/ Matt silver

**IP 20**

- Fully adjustable
- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional



DISPLAY LIGHT



## EMMY-S

1500.-

DIA 15x55 mm. H 200 mm.



**LED COB 2W 160lm**



3000K, 4000K, 6000K  
Matt black/ Matt silver

**IP 20**

- Fully adjustable
- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional

## EMMY-M

2000.-

DIA 15x55 mm. H 200 mm.



**LED COB 2x2W 320lm**



3000K, 4000K, 6000K  
Matt black/ Matt silver

**IP 20**

- Fully adjustable
- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional



DISPLAY LIGHT



## ZOOM

2000.-

DIA 30x50 mm. H 200 mm.



**LED COB 2W 160lm**

15-36° 3000K, 4000K, 6000K  
Matt black/ Matt silver

**IP 20**

- Zoomable 15D-36D
- Fully adjustable
- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional

## ROLL

1800.-

DIA 15x55 mm. H 200 mm.



**LED COB 2W 160lm**

24° 3000K, 4000K, 6000K  
Matt black/ Matt silver

**IP 20**

- Fully adjustable
- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional



DISPLAY LIGHT



## JANELL

1550.-

DIA 23x33 mm. H 300 mm.



**LED COB 3W 270lm**



3000K, 4000K, 6000K  
Matt black/ Matt silver



Fully adjustable  
Aluminium Body  
Driver included  
Non-Dim  
Dimmable (0-10V/ Triac) Optional

## FREYA

1450.-

DIA 18x58 mm. H 338 mm.



**LED COB 3x1W 270lm**



3000K, 4000K, 6000K  
Matt black/ Matt silver



Fully adjustable  
Aluminium Body  
Driver included  
Non-Dim  
Dimmable (0-10V/ Triac) Optional



DISPLAY LIGHT



## DUNO-1L

2000.-

DIA: 19×28.1 mm. H 400 mm.



**LED COB 3W 250lm**

10-60° 3000K, 4000K, 6000K  
Matt black/ Matt silver

**IP 20**

- Zoomable 10D-60D  
Fully adjustable  
Aluminium Body  
Driver included  
Non-Dim  
Dimmable (0-10V/ Triac) Optional

## DUNO-3L

3000.-

DIA 19×28.1 mm. H 400 mm.



**LED COB 3x3W 3x250lm**

10-60° 3000K, 4000K, 6000K  
Matt black/ Matt silver

**IP 20**

- Zoomable 10D-60D  
Aluminium Body  
Driver included  
Non-Dim  
Dimmable (0-10V/ Triac) Optional



DISPLAY LIGHT



## DOJO

2000.-

DIA 17x23.9 mm. H 400 mm.



**LED COB 3x1W 250lm**



3000K, 4000K, 6000K  
Matt black/ Matt silver

**IP 20**

- Fully adjustable
- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional

## ANO

4000.-

DIA 22 mm. H 156 mm.



**LED COB 3x1W 250lm**



3000K, 4000K, 6000K  
Matt black/ Matt silver

**IP 20**

- Fully adjustable
- Aluminium Body
- Driver included
- Non-Dim
- Use with 12Vdc power supply



DISPLAY LIGHT



## SAPP

4000.-

DIA 16x18 mm. H 1000 mm.



**LED COB 7x1W 560lm**

3000K, 4000K, 6000K  
Matt black/ Matt silver



- Fully adjustable
- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional

## SAMO

1800.-

DIA 12.5 mm. H 336 mm.



**LED SMD 5W 500lm**

120° 3000K, 4000K, 6000K  
Matt black/ Matt silver



- Adjustable
- Aluminium Body
- 12Vdc Driver excluded
- Non-Dim



DISPLAY LIGHT



## MINI SPOT-B

900.-

DIA 19 mm. H 40 mm.



**LED COB 3W 165lm**



3000K, 4000K, 6000K  
Matt black/ Matt silver

**IP 20**

- Fully adjustable
- Aluminium Body
- Use with 12Vdc power supply
- Use with Mini Track-H/Mini Track-V
- Non-Dim

## MINI SPOT-D

1200.-

DIA 19 mm. H 40 mm.



**LED COB 3W 180lm**



3000K, 4000K, 6000K  
Matt black/ Matt silver

**IP 20**

- Zoomalbe 15D-60D
- Fully adjustable
- Aluminium Body
- Use with 12Vdc power supply
- Use with Mini Track-H/Mini Track-V
- Non-Dim



15°-60° adjustable

DISPLAY LIGHT



## MINI SPOT-E

1200.-

DIA 14x14 mm. L 118 mm.



**LED COB 6W 420lm**



3000K, 4000K, 6000K  
Matt black/ Matt silver

**IP 20**



Fixed

Aluminium Body

Use with 12Vdc power supply

Use with Mini Track-H/Mini Track-V

Non-Dim

## MINI SPOT-G

1200.-

DIA 33 mm. H 67 mm.



**LED COB 5W 400lm**



3000K, 4000K, 6000K  
Matt black/ Matt silver

**IP 20**



Fully adjustable

Aluminium Body

Use with 12Vdc power supply

Use with Mini Track-H/Mini Track-V

Non-Dim



DISPLAY LIGHT



## MINI TRACK-H

500.-

DIA 15 mm. H 6 mm. L 1000 mm.



Magnetic track  
Matt black/ Matt silver

IP 20



Aluminium Body  
Use with 12Vdc power supply  
Use with  
MINI SPOT-B 3W  
MINI SPOT-D 3W  
MINI SPOT-E 6W  
MINI SPOT-G 5W

## MINI TRACK-V

600.-

DIA 16 mm. L 1000 mm.



Magnetic track  
Matt black/ Matt silver

IP 20



Aluminium Body  
Use with 12Vdc power supply  
Use with  
MINI SPOT-B 3W  
MINI SPOT-D 3W  
MINI SPOT-E 6W  
MINI SPOT-G 5W



DISPLAY LIGHT